

Vaccinations needed	Trade name examples	Notes	Doctor's signature & date
Diphtheria, Tetanus, Whooping cough (DTaP) & Polio	Boosterix, Repevax	<p>Get diphtheria, tetanus and polio booster if you have not had one within the last 10 years. The booster should also include whooping-cough if you have never had that vaccination.</p> <p>Bring the dates of your childhood triple primary vaccination with DTaP and Polio if you have the written proof.</p> <p>If you live in or have spent more than 4 weeks in Pakistan, Afghanistan or Nigeria you must have had a polio vaccination booster within the past 4-52 weeks.</p>	
Measles, Mumps and Rubella (MMR)	MMRVaxPro®, Priorix®	<p>You should have had one dose of MMR if you were born in 1957 or later.</p> <p>If you never had an MMR vaccination you will need one, or, if you prefer, you can have a blood test first to see if you are immune to all three infections (serology levels). Ask your doctor for a prescription. If your blood results only show immunity to one or two of the 3 then you will need a full MMR vaccination. Individual vaccines against the 3 infections do not exist.</p> <p>A history of MMR without blood test results is not proof of immunity></p> <p>You will not be required to take the MMR vaccine if you are pregnant as it is a live vaccine.</p>	
Varicella (Chicken pox)>	Varilrix®, Varivax®	<p>If you had the illness chicken pox as a child (or adult) you do not need vaccination (no written proof needed).</p> <p>If you never had it you will need a vaccination, or, if you prefer, you can have a blood test first to see if you are immune. Ask your doctor for a prescription.</p> <p>You will not be required to take the Varicella vaccine if you are pregnant as it is a live vaccine.</p>	
Yearly seasonal influenza vaccine>	Vaxigriptetra, Fluarixtetra, Influvac Tetra	<p>Required if visa appointment is during the flu season (beginning of October to the beginning of February). Check with your local pharmacist to see if it is available at the time of your medical visit.</p>	
Pneumococcal	Prevenar 13	<p>Required from the age of 65 onwards. For those who have never had the vaccination, the American Center for Disease Control (CDC) recommend an initial dose of P13</p>	