

Vaccinations 0 to 18 years inclusive

NAME

Date of birth

ALL vaccines on this list are required to obtain the U.S. visa. These vaccination recommendations are not the same as in France, but are mandatory to enter the United States for immigrants.

Vaccination	Age concerned	Brand Examples	Notes	Date Signed Dr....
Diphtheria, Tetanus, Polio & Pertussis	From one month	InfanrixTetra®, Tetravacacellular®	3 primary vaccinations (at least one vaccine with Pertussis included) then vaccination every 5 years until 18 years)	
Rotavirus	6weeks to 6 months	Rotarix®, Rota Teq®	3 doses up to 6 months	
Hepatitis B	From birth	Engerix®, HBVaxpro B10 5®, GenhevacBPasteur®	3 doses for one year - first dose at 0-2 months	
Hepatitis A	12 months to 18 years	Havrix720®	2 doses 6 months apart	
Seasonal flu	From 6 months	Vaxigrip®	to do if the medical visit takes place during the flu season or as long as the vaccine remains available in pharmacies (normally October to the end of January)	
Influenza type b (Hib)	2-12 months	Act-Hib®	3-4 doses between 2-12 months	
Pneumococcal PCV	2-12 months	Prevenar 13®	3-4 doses between 2-12 months	
Rubella Mumps Measles	From 12 months	MMRVaxPro®, Priorix®	2 vaccines at least one month apart	
Chickenpox	From 11 months	Varilrix®, Varivax®	Varicella - 2 doses with a month gap except in case of illness after the age of 11 months with proof of the exact date of the disease	

<u>Meningococcal MCV4</u>	11 to 18 years inclusive	Menveo®, Menactra®, Nimenrix®, Meningo- [®]	<u>(Men ACW135, Y conjugate) 2 doses at 11-12 years and 16 years This one is not the same as the French vaccine Meningococcal C but it is mandatory for the United States</u>	
---------------------------	--------------------------	--	---	--

