## Vaccinations 0 to 18 years inclusive

## NAME

## Date of birth

**ALL vaccines on this list are required to obtain the U.S. visa.** These vaccination recommendations are not the same as in France, but are mandatory to enter the United States for immigrants.

Vaccination	Age	Brand Examples	Notes	Date Signed Dr
Diphtheria, Tetanus, & Pertussis	From one month	InfanrixTetra®, Tetravacacellular®	3 primary vaccinations (at least one vaccine with Pertussis included) then vaccination every 5 years until 18 years)	
Polio	From one month	IPV	Provide proof of 3 doses of Polio. If this is not the case, you should have had a Polio vaccine in the last 12 months.  Special case - you need to have had a polio vaccination booster within the last 4-52 weeks if you live or have spent more than 4 weeks in certain countries designated as at high risk. You must consult the list of all current countries affected on the CDC website: <a href="https://www.cdc.gov/immigrant-refugee-health/hcp/panel-physicians/polio-addendum.html">https://www.cdc.gov/immigrant-refugee-health/hcp/panel-physicians/polio-addendum.html</a>	
Rotavirus	6weeks to 6 months	Rotarix®, Rota Teq®	3 doses up to 6 months	
Hepatitis B	From birth	Engerix®, HBVaxpro B10 5®, GenhevacBPasteur®	3 doses for one year - first dose at 0-2 months	
Hepatitis A	12 months to 18 years	Havrix720®	2 doses 6 months apart	
Seasonal flu	From 6 months	Vaxigrip®	to do if the medical visit takes place during the flu season or as long as the vaccine remains available in pharmacies (normally October to the end of January)	
Influenza type b (Hib)	2-12 months	Act-Hib®	3-4 doses between 2-12 months	
Pneumococcal PCV	2-12 months	Prevenar 13®	3-4 doses between 2-12 months	
Rubella Mumps Measles	From 12 months	MMRVaxPro®, Priorix®	2 vaccines at least one month apart	
Chickenpox	From 11 months	Varilrix®, Varivax®	Varicella - 2 doses with a month gap except in case of illness after the age of 11 months with proof of the exact date of the disease	
Meningococcal MCV4	11 to 18 years inclusive	Menveo®, Menactra®, Nimenrix®, Meningo<®	(Men ACW135, Y conjugate) 2 doses at 11- 12 years and 16 years This one is not the same as the French vaccine Meningococcal C but it is mandatory for the United States	